

Technical note 2011/02

Overview

This technical note describes how to add the logo for the BBA U-value and condensation risk competency scheme to print-outs and PDFs produced in JPA Designer.

The scheme

The BBA scheme, devised in association with TIMSA (the Thermal Insulation Manufacturers and Suppliers Association), is intended to ensure that U-value and condensation risk calculations are representative and reliable. To become members of the scheme, individuals and companies must undergo a rigorous, independent assessment procedure to test their technical competency and in-house procedural controls.


Once accepted onto the Scheme, competent persons are permitted to identify calculations covered by the Scheme by means of a dedicated BBA Scheme logo, which includes a unique number for each individual.

Adding the logo to calculation outputs

JPA Designer can be configured to add the BBA Scheme logo to the outputs of U-value and condensation risk calculations. To do this:

1. Save the logo file as a 256 colour bit map format with the extension .BMP.
You can use MS Paint to do this.
2. In the JPA Designer **Project Manager** window select **Options** from the menu bar. The **Options** dialogue opens.
3. Click on the **Logo & Signature** tab. At the bottom of the tab is **TIMSA logo position** section (Figure 1).
4. Use the **Top** and **Left** boxes to set the position of the top left corner of the logo relative to the page, and use the **Width** box to set the width of the printed logo. All distances are in millimetres.
5. If you wish the logo to be included by default tick the box **Default to print TIMSA logo**.
6. Insert the **Logo file name**, or use the **Locate** button to find it on your computer.
7. When printing a U-value or condensation risk calculation which is covered by the Scheme approval make sure the **Print TIMSA logo** box is ticked on the **Sections to Print Dialogue** (Figure 2).

*If you have set the logo to print by default (step 5) the **Print TIMSA logo** box will already be ticked.*



TIMSA logo position (mm)

Top 10 Left 10 Width 20 Default to print TIMSA logo

Logo file name including .BMP extension

The file must be a 256 colour .BMP file in the program folder.

Figure 1. Setting the position of the BBA/TIMSA logo on outputs




Figure 2. Sections To Print dialogue: the scheme logo will be added to the print-out.

Further information

Additional information about the scheme, may be found at:

http://www.bbacerts.co.uk/bba_services/approvals/competency_scheme.aspx

Information about JPA Designer may be found at www.techlit.co.uk.

Technical support enquiries by email only to support@techlit.co.uk.

© JPA TL Ltd 2011

4/1/2011